

Blended Look

COLOR BODY • PORCELAIN



BEST  TILE® / BESTTILE.COM

Stoneways





FLIGHT



DECORS



2x2 Mosaic
on 12x12 Sheet
Matte




1.3x3.8 Herringbone Mosaic
on 12x14.5 Sheet
Matte

VARIATION



NIGHT



DECORS



2x2 Mosaic
on 12x12 Sheet
Matte



1.3x3.8 Herringbone Mosaic
on 12x14.5 Sheet
Matte

VARIATION






SKY



DECORS




2x2 Mosaic
on 12x12 Sheet
Matte




1.3x3.8 Herringbone Mosaic
on 12x14.5 Sheet
Matte

VARIATION



VELVET



DECORS



2x2 Mosaic
on 12x12 Sheet
Matte



1.3x3.8 Herringbone Mosaic
on 12x14.5 Sheet
Matte

VARIATION



CAESAR
SPA & WELLNESS



Blended Look

COLOR BODY • PORCELAIN

Stoneways



COLORS, SIZES & AVAILABILITY

NOMINAL SIZE	FINISH	THICKNESS	GROUT JOINT	FLIGHT	NIGHT	SKY	VELVET
6 x 24 Rectified	Matte	9 mm	1/8"	☺	☺	☺	☺
12 x 24 Rectified	Matte	9 mm	1/8"	☑	☑	☑	☑
2 x 2 Mosaic	Matte	9 mm	N/A	☑	☑	☑	☑
1.3 x 3.8 Herringbone Mosaic	Matte	9 mm	N/A	☺	☺	☺	☺
3 x 24 Bullnose	Matte	9 mm	1/8"	☑	☑	☑	☑
6 x 12 Cove Base	Matte	9 mm	1/8"	☺	☺	☺	☺

☑ Stock Item. ☺ Non-Stock Item. Requires Extra Lead Time.

TECH INFO

ORIGIN: USA
SHADE VARIATION: V3 - Moderate Variation
WEAR RATING: Class 5 - Rated for all residential and commercial applications
 It is not recommended to stagger any tile longer than 15" more than 1/3 the length of the tile.

R = Residential, LC = Light Commercial, C = Commercial

RECOMMENDED APPLICATIONS	R	LC	C
FLOORS	●	●	●
WALLS / BACKSPLASH	●	●	●
POOL DECKING	*	*	*
EXTERNAL USE - FROST PROOF	*	*	*

● Approved for this application. * Discuss proper installation method with your Sales Representative.

TILE PERFORMANCE DATA

TECHNICAL FEATURE	NORMS	RESULTS
Water Absorption	ASTM C373	≤ 0.5 %
Breaking Strength	ASTM C648	≥ 250 lbs
Dynamic Coefficient of Friction Wet	AcuTest	0.42
Thickness Dimension	ASTM C499	In accordance
Facial Dimension	ASTM C499	In accordance
Warpage Diagonal	ASTM C485	In accordance
Wedging	ASTM C502	In accordance
Frost Resistance	ASTM C1026	Frost Proof
Scratch Hardness	MOHS	6

Always inspect materials prior to installation. Always mix 2-3 cartons at a time while installing to insure the best blend. All product images are representative only. Variation in color and shading is to be expected. Final selection should be made from actual tile samples.



VIEW WEBPAGE

Floor // STONEWAYS FLIGHT 12X24, Wall // STONEWAYS FLIGHT 12X24, Wa

BEST  TILE[®]

BESTTILE.COM

MARYLAND | MASSACHUSETTS | NEW JERSEY | NEW YORK | NORTH CAROLINA | PENNSYLVANIA | RHODE ISLAND | VERMONT | VIRGINIA