

Terra Cotta Look

GLAZED PORCELAIN



BEST  TILE® / BESTTILE.COM

Etruscan





LAZIO



DECORS



Hexagon Mosaic
on 14x15 Sheet
Matte

VARIATION



MARCHE



BEST  TILE®



DECORS

VARIATION




Hexagon Mosaic
on 14x15 Sheet
Matte





TOSCANA



DECORS



Hexagon Mosaic
on 14x15 Sheet
Matte

VARIATION



UMBRIA



DECORS



Hexagon Mosaic
on 14x15 Sheet
Matte


VARIATION








PATTERNED TILES



DECO A



DECO B



DECO MIX

Terra Cotta Look

GLAZED PORCELAIN

Etruscan



COLORS, SIZES & AVAILABILITY

| NOMINAL SIZE | FINISH | THICKNESS | GROUT JOINT | LAZIO | MARCHE | TOSCANA | UMBRIA | DECO A | DECO B | DECO MIX |
|-----------------|--------|-----------|-------------|-------|--------|---------|--------|--------|--------|----------|
| | | | | | | | | | | |
| 8 x 8 | Matte | 9 mm | 3/16" * | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 8 x 16 | Matte | 9 mm | 3/16" * | ✓ | ✓ | ✓ | ✓ | | | |
| 16 x 16 | Matte | 9 mm | 3/16" * | ✓ | ✓ | ✓ | ✓ | | | |
| 9 x 10 Hexagon | Matte | 10 mm | 3/16" | ✓ | ✓ | ✓ | ✓ | | | ✓ |
| Hexagon Mosaic | Matte | 10 mm | N/A | ✓ | ✓ | ✓ | ✓ | | | |
| 3 x 16 Bullnose | Matte | 9 mm | 3/16" | ✓ | ✓ | ✓ | ✓ | | | |

*Grout joints in modular pattern may need to be larger.

✓ Stock Item. ⚪ Non-Stock Item. Requires Extra Lead Time.

TECH INFO

ORIGIN: Italy

SHADE VARIATION: V3 - Moderate Variation; Marche: V4

WEAR RATING: Lazio: 5 - Rated for all residential and commercial applications; All others: 4 - Rated for all residential and light commercial applications

It is not recommended to stagger any tile longer than 15" more than 1/3 the length of the tile.

R = Residential, LC = Light Commercial, C = Commercial

| RECOMMENDED APPLICATIONS | R | LC | C |
|----------------------------|---|----|---|
| FLOORS | ● | ● | ◆ |
| WALLS / BACKSPLASH | ● | ● | ● |
| POOL DECKING | * | * | |
| EXTERNAL USE - FROST PROOF | * | * | |

● Approved for this application. ◆ Lazio approved for this application. * Discuss proper installation method with your Sales Representative.

TILE PERFORMANCE DATA


| TECHNICAL FEATURE | NORMS | RESULTS |
|--|--------------|---------------------------|
| Water Absorption | ISO 10545-3 | ≤ 0.5 % |
| Abrasion Resistance (Glazed) | ISO 10545-7 | 5 - Lazio; 4 - All Others |
| Breaking Strength | ISO 10545-4 | ≥ 35 N/mm2 |
| Dynamic Coefficient of Friction Wet | AcuTest | 0.77; Decos: 0.56 |
| Dimensions Range | ISO 10545-2 | Conforms |
| Frost Resistance | ISO 10545-12 | Frost Proof |
| Chemical Resistance - Household Chemicals | ISO 10545-13 | Min. Class B |
| Chemical Resistance - Low Concentration of Acids and Bases | ISO 10545-13 | Min. Class B |
| Thermal Shock Resistance | ISO 10545-9 | Resists |
| Resistance to Stains | ISO 10545-14 | Class 5 |
| Crazing Resistance of Glazed Tiles | ISO 10545-11 | Resistant |



DECO A



DECO B



DECO MIX

Always inspect materials prior to installation. Always mix 2-3 cartons at a time while installing to insure the best blend. All product images are representative only. Variation in color and shading is to be expected. Final selection should be made from actual tile samples.



VIEW WEBPAGE

Floor & Wall // ETRUSCAN MARCHE 9X10 HEXAGON WITH DECO MIX



BEST  TILE[®]

BESTTILE.COM

MARYLAND | MASSACHUSETTS | NEW JERSEY | NEW YORK | NORTH CAROLINA | PENNSYLVANIA | RHODE ISLAND | VERMONT | VIRGINIA